

HIAB X-CLX 088






HIAB X-CLX 088 BASIC DATA

TECHNICAL DATA	X-CLX 088 B-2	X-CLX 088 B-3	X-CLX 088 E-4	X-CLX 088 E-5
Mdyn	103 kNm	104 kNm	110 kNm	111 kNm
Lifting capacity (kNm)	80	78	72	70
Lifting capacity (tm)	8.0	7.7	7.3	7.1
Outreach - lifting capacity, standard (m-kg)	2.8 - 2 820 3.8 - 2 020 5.4 - 1 400 7.2 - 1 040	3.1 - 2 480 3.9 - 1 860 5.5 - 1 260 7.3 - 920 9.2 - 720	2.6 - 2 820 4.2 - 1 720 5.8 - 1 160 7.7 - 820 9.6 - 640 11.6 - 520	2.7 - 2 640 4.3 - 1 600 5.9 - 1 080 7.8 - 740 9.7 - 560 11.7 - 440 13.7 - 370
Outreach - lifting capacity, manual extensions (m-kg)	9.2 - 760 11.3 - 580	11.3 - 540	13.7 - 370	-
Hydraulic outreach, standard (m)	7.7	9.7	11.6	13.7
Hydraulic boom extension (m)	3.6	5.5	7.5	9.5
Outreach, manual extensions (m)	11.8	11.8	13.7	-
Lifting height above installation level, hydr/man (m)	9.9 / 14	11.9 / 14	13.8 / 15.9	15.9 / -
Rec. oil flow (l/min)	40 - 45	40 - 45	40 - 45	40 - 45
Working pressure (Mpa)	31.0	31.0	31.0	31.0
Oil in tank (l)	40 - 100	40 - 100	40 - 100	40 - 100
Tank capacity (l)	0 - 120	0 - 120	0 - 120	0 - 120
Slewing angle (°)	406	406	406	406
Max slope viable at full capacity (°)	5	5	5	5
Slewing torque, gross (kNm)	10.7	10.7	10.7	10.7
Slewing speed (°/s)	15	15	15	15
Lifting speed at standard hydraulic outreach (m/s)	1.4	1.8	1.9	2.2
Height in folded position (mm)	2 000	2 000	2 000	2 000
Width in folded position (mm)	2 140	2 190	2 320	2 375
Install space required. Rotation area not included (mm)	795	875	830	895
Crane in standard version without stabiliser system (kg)	1 080	1 170	1 260	1 340
Frame attachments (kg)	13 - 39	13 - 39	13 - 39	13 - 39
Stabiliser system equipment (kg)	156 - 303	156 - 303	156 - 303	156 - 303

This table show one example of a model, and represents some of all options available. With the opportunity to configure your crane, we can provide you with a crane perfectly tailored to your needs.

Please contact your local dealer for more information and the exact data on the variety of options we can offer.

Hiab X-CLX 088 B-2



BUILT TO PERFORM

Hiab is the world's leading provider of on-road load handling equipment. Customer satisfaction is the first priority for us. Hiab's product range includes HIAB loader cranes, JONSERED recycling and forestry cranes, LOGLIFT forestry cranes, MOFFETT truck mounted forklifts and MULTILIFT demountables, as well as DEL, WALTCO and ZEPRO tail lifts.

hiab.com

Hiab is part of Cargotec.

cargotec.com



© BD-XCLX088-EN-WW-170724



hiab.com