

HIAB X-CLX 078






HIAB X-CLX 078 BASIC DATA

TECHNICAL DATA	X-CLX 078 B-1	X-CLX 078 B-2	X-CLX 078 E-3	X-CLX 078 E-4
Mdyn	89 kNm	91 kNm	92 kNm	94 kNm
Lifting capacity (kNm)	70	67	63	60
Lifting capacity (tm)	7.1	6.8	6.4	6.1
Outreach - lifting capacity, standard (m-kg)	2.4 - 2 920 3.8 - 1 880 5.4 - 1 320	2.7 - 2 520 3.8 - 1 780 5.4 - 860 7.2 - 640	2.1 - 2 540 4.0 - 1 180 5.5 - 820 7.3 - 580 9.3 - 450	2.2 - 2 360 4.1 - 1 080 5.6 - 740 7.4 - 520 9.4 - 380 11.3 - 310
Outreach - lifting capacity, manual extensions (m-kg)	7.2 - 940	9.2 - 680	11.5 - 470	-
Hydraulic outreach, standard (m)	5.7	7.6	9.5	11.6
Hydraulic boom extension (m)	1.7	3.6	5.5	7.5
Outreach, manual extensions (m)	7.6	9.6	11.6	-
Lifting height above installation level, hydr/man (m)	7.8 / 11.7	9.7 / 13.8	11.6 / 13.6	13.7 / -
Rec, oil flow (l/min)	35 - 40	35 - 40	35 - 40	35 - 40
Working pressure (Mpa)	28.9	28.9	28.9	28.9
Oil in tank (l)	40 - 100	40 - 100	40 - 100	40 - 100
Tank capacity (l)	0 - 120	0 - 120	0 - 120	0 - 120
Slewing angle (°)	406	406	406	406
Max slope viable at full capacity (°)	5	5	5	5
Slewing torque, gross (kNm)	10.7	10.7	10.7	10.7
Slewing speed (°/s)	15	15	15	15
Lifting speed at standard hydraulic outreach (m/s)	1.1	1.5	1.7	2.0
Height in folded position (mm)	1 900	1 900	1 915	1 915
Width in folded position (mm)	2 110	2 190	2 240	2 345
Install space required. Rotation area not included (mm)	795	795	910	910
Crane in standard version without stabiliser system (kg)	875	970	1 060	1 140
Frame attachments (kg)	13 - 39	13 - 39	13 - 39	13 - 39
Stabiliser system equipment (kg)	156 - 303	156 - 303	156 - 303	156 - 303

This table show one example of a model, and represents some of all options available. With the opportunity to configure your crane, we can provide you with a crane perfectly tailored to your needs.

Please contact your local dealer for more information and the exact data on the variety of options we can offer.

Hiab X-CLX 078 B-2



BUILT TO PERFORM

Hiab is the world's leading provider of on-road load handling equipment. Customer satisfaction is the first priority for us. Hiab's product range includes HIAB loader cranes, JONSERED recycling and forestry cranes, LOGLIFT forestry cranes, MOFFETT truck mounted forklifts and MULTILIFT demountables, as well as DEL, WALTCO and ZEPRO tail lifts.

hiab.com

Hiab is part of Cargotec.

cargotec.com



© BD-XCLX078-EN-WW-170724



hiab.com